









BSC: crawler-mounted concrete pumps

The perfect complement for bore pile filling work

Putzmeister machines: BSC range

BSC range for bore pile filling

Putzmeister's BSC range is ideal for filling bore pile foundations, and is perfectly suited for cast-in-place concrete work.

The BSC range combines the best qualities of Putzmeister BSA's concrete pumps with powerful crawlers, allowing it to work autonomously tracking bore pile drilling machine, and ensuring maximum efficiency for your project.

Bore piling is a key element of foundationlaying work in both civil engineering and construction work. A proper execution will determine the stability and longevity of the finished work BSC machines complete the pile boring process, pumping concrete into the bored piles dug in the ground. Our machines have worked in flagship projects such as the construction of the new Paris Courthouse building, designed by Renzo Piano.


Their ease of use is also reflected in the maintenance, with an on-board water deposit and compressor for convenient cleaning.

BSC range: ideal for bore pile filling work

- High-pressure and output concrete pumps
- Crawlers allow for independent transport
- On-board cleaning equipment (deposit, compressor, accessories) for greater autonomy on site
- Ergonic® Pump System (EPS) syncs the concrete pump with the pile boring machine



BSC range: key characteristics



Cleaning after work is simple anywhere with its integrated water tank, air compressor and accessories, so you can efficiently clean-up even in remote locations without requiring external support.

The hopper's security platform of the 1400 and 2100 series allows for safe cleaning.

The BSC range has a radio remote control for ease of use that regulates both transport and pumping parameters.

There is also a cable remote control and a driver's seat on the chassis for emergency situations (depending on model).

The chassis is mounted on steel or rubber crawlers, which allows for autonomous transport, eliminating the need for cranes or alternative modes of transport.

The BSC is able to work alongside the pile boring machine, simplifying the logistics on site.

Putzmeister concrete pumps: powerful, precise

Widely renowned for their quality and reliability; Putzmeister's concrete pumps have worked in key projects worldwide and continue to beat world pumping records both in terms of height and distance.

Their high output capacity of between $52 - 130 \text{ m}^3\text{/h}$ and pressure of up to 130 bar make the range ideal for bored pile filling work.

The pump has all the Putzmeister warranties.



Putzmeister concrete pump

Ergonic® Pump System (EPS): working alongside the pile bore drilling machine

- Concrete flow and pressure adjustment system
- Ergonic® Graphic Display (EGD) Screen
- Automatic speed reduction if the pump stops
- Surge Neutraliser (SN) controls pressure peaks
- Electronic error management
- Gasoil consumption optimization
- Real-time pumping data



Renowned performance and quality – BSC Performance Line


The Performance Line comes with predefined equipment. Based on our experience with this type of machine, we offer you everything you need for the daily work on your piling sites.



4 5


Technical data


BSC 1005 D5 / 1006 D5






BSC 1409 D5 PERFORMANCE LINE






BSC 1409 D5





BSC 2113 H D4





	BSC 1005 D5	BSC 1006 D5	BSC 1409 D5 <i>PL</i>	BSC 1409 D5	BSC 2113 H D4
General data	_	_	_	_	_
Length / width / height	5,123 / 1,486 / 2,289 mm	5,123 / 1,483 / 2,244 mm	6,062 / 2,000 / 2,500 mm	6,506 / 2,197 / 2,447 mm	7,742 / 2,293 / 2,708 mm
Weight	4,100 kg	4,000 kg	7,950 kg	9,000 kg	16,000 kg
Putzmeister concrete pump		_			_
Delivery volume of up to	52 m³/h	64 m³/h	97/67* m³/h	97/67* m³/h	130/89* m³/h
Concrete pressure of up to	70 bar	55 bar	71/106* bar	71/106* bar	112/130* bar
Strokes/min	33	42	37/25*	37/25*	26/18*
Delivery cylinder stroke	1,000 mm	1,000 mm	1,400 mm	1,400 mm	2,100 mm
Delivery cylinder diameter	180 mm	180 mm	200 mm	200 mm	230 mm
Pressure connection	5.5 " (125 mm)	5.5 " (125 mm)	5.5 " (125 mm)	5.5 " (125 mm)	6 " (150 mm)
Hopper					*concrete pump (pisto
Capacity	300 I	300 l	600 I	600 I	600 I
Maximum noise levels	112 dB	112 dB	123 dB	108 dB	117 dB
Central lubrication	manual	manual	manual	manual	manual
	Rubber collar (as an option)	Rubber collar (as an option)	Rubber collar	Rubber collar	Rubber collar
Chassis					
Engine	Diesel Deutz, 3 cylinder	Diesel Deutz, 3 cylinder	Diesel Deutz, 6 cylinder	Diesel Deutz, 6 cylinder	Diesel Deutz, 6 cylinder
Engine power	55,4 kW (75,5 HP)	55,4 kW (75,5 HP)	150 kW (204 HP)	150 kW (204 HP)	330 kW (450 HP)
Engine emission	EU-Stage V	EU-Stage V	EU-Stage V / Tier 4	EU-Stage V / Tier 4	Stage IV / Tier 4f
Crawlers	Rubber	Rubber	Steel	Steel	Steel
Maximum speed	2 km/h	2 km/h	1.7 km/h	2 km/h	2.5 km/h
Diesel tank	120	120	120	135 I	230 I + 50 I AdBlue
Lights	4 x LED (as an option)	4 x LED (as an option)	1 beacon	2 on the hopper, 1 in front	2 on the hopper, 1 in front
Remote control					
Radio remote control	Driving and pumping	Driving and pumping	Driving and pumping	Driving and pumping	Driving and pumping
Cable remote control	-	-	-	Pumping	Pumping
Cable length				10 m	10 m
Cleaning equipment					
Water tank	300 I	300 I	500 I	800 I	1,100
Cleaning pump	50 l/min, 20 bar	50 I/min, 20 bar	50 I/min, 20 bar	50 I/min, 20 bar	160 I/min, 25 bar
Air compressor	745 I/min eff.	745 I/min eff.	820 I/min	820 I/min	860 I/min
Pressured air tank	40 I	40 I	60 I	60 I	120
	Accessories	Accessories	Optional stairs Accessories	Safety platform Accessories	Safety platform Accessories
			7,000001100	710000001100	7.0000001100
Others Putzmaietar etandard paintwork	Pump frame roof anthracite	Pump, frame, roof anthracite	MB 9147 Arctic White	MB 1227 Yellow	MB 1227 Yellow
Putzmeister standard paintwork	Pump, frame, roof anthracite grey, doors chrome yellow	grey, doors chrome yellow	IND 9147 AICUC WIILE	IVID 1227 TEIIOW	IVID 1227 TEIIOW
Technical documents	1 paper copy, 1 CD-ROM,	1 paper copy, 1 CD-ROM,	1 paper copy, 1 CD-ROM,	1 paper copy, 1 CD-ROM,	1 paper copy, 1 CD-ROM,
	1 spare parts list	1 spare parts list	1 spare parts list	1 spare parts list	1 spare parts list
			Electric vibrator	Electric vibrator	
Options (excerpts)					
	Automatic central lubrication	Automatic central lubrication	Automatic central lubrication	Automatic central lubrication	Automatic central lubrication
	Electric vibrator	Electric vibrator	High pressure water pump	High pressure water pump	High pressure water pump
	Splash guard foldable	Splash guard foldable	Crawler pads	Crawler pads	Personalized paintwork
		,	Stairs for cleaning the hopper	Pump-Pilot communication system	
				Pump-Pilot remote control system	
			Pump-Pilot remote control system	Safety kit	
			Delivery pistons "Longlife"	Personalized paintwork	
			Hard metal wear parts kit		
			Delivery output line		
			Extra radio remote control		
			Entra radio fornoto oblitioi		



Putzmeister BSC: your best partner for bored pile filling

The BSC line was designed to adapt to pile bore filling work in civil engineering and construction, offering Putzmeister's quality concrete pumps with convenient crawlers.

The range offers greater independence of movement to simplify the process and optimize logistics on site.

Our pumps combine great pumping output and pressure for a variety of applications, with a maximum output of 130 m³/h or pressure of 130 bar.

Putzmeister Ibérica S.A.

Camino de Hormigueras 173 · 28031, Madrid/Spain Tel. +34 91 428 8100 · info@putzmeister.es

Putzmeister Concrete Pumps GmbH

Max-Eyth-Straße 10 · 72631 Aichtal/Germany Tel. +49 (7127) 599-0 · pmw@putzmeister.com

www.putzmeister.com

